



Docket No.: 8734.291 US
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Sung Su JUNG et al.

Customer No.: 30827

Application No.: 10/824,585

Confirmation No. 6636

Filed: April 15, 2004

Art Unit: 1792

For: APPARATUS FOR ALIGNING DISPENSER
SYSTEM, METHOD OF ALIGNING
DISPENSER SYSTEM, AND DISPENSER
ALIGNMENT SYSTEM

Examiner: D. P. Turocy

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

RESPONSE TO RESTRICTION REQUIREMENT

Dear Sir:

In response to the restriction requirement set forth in the Office Action mailed January 14, 2008, Applicants hereby provisionally elect Group II (claims 12-33), drawn to a method of aligning dispenser, for continued examination, without prejudice or disclaimer.

If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time, or any other fees required to complete the filing of this response, may be charged to Deposit Account No. 50-0911. Please credit any overpayment to deposit Account No. 50-0911. A duplicate copy of this sheet is enclosed.

Dated: February 14, 2008

Respectfully submitted,

By 
Eric J. Nuss

Registration No.: 40,106
McKenna Long & Aldridge LLP
1900 K Street, N.W.
Washington, D.C. 20006
Voice: 202-496-7500